

*1986 Dodge Charger*





About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

Some of the equipment shown or described throughout this catalog is available at extra cost.



Shelby Charger, shown in Black/Radiant Silver.

# 1986 Charger

**Shelby pulls another fast one.** The Shelby Charger of 1986. A sports car that sets the road ablaze with the energetic power of a race-proven 2.2-liter turbocharged engine. America's first front-drive sports coupe ... with a boost.

*Shelby Charger* tells a story of racing pulses, the continual quest for a challenging road, and a respect for efficiency.

*Charger 2.2.* With liftback, sporty front-end styling, slick graphics and distinctive wheel covers, it catches your eye as it catches your breath. A driver's car.

*Charger.* The embodiment of performance and affordability. The ultimate definition of fun-to-drive.

Shelby Charger, Charger 2.2 and Charger. For people who haven't forgotten that driving can be for kicks.

All Dodge Chargers are quality built and backed by a five-year/50,000-mile protection plan. See back cover for details.



# 1986 Shelby Turbo

## Power play.

Inside and outside the Shelby Charger you feel and sense the genius of Carroll Shelby. The adventure begins as you get behind the wheel and ignite the amazing 2.2-liter turbo-charged multipoint Chrysler/Bosch EFI engine with Garrett AiResearch T3 turbocharger. The muffled rumble of

the free-breathing performance exhaust system lets you know the excitement has begun.

Depress the throttle and experience a remarkable burst of power. Shelby bolts from 0 to 50 in a brisk 5.34 seconds.\* At full throttle it cranks out an exhilarating 146 net horsepower at 5,200 rpm with a compression ratio of 8.1:1.

Shelby Charger conquers even the most serpentine road with race-stiffened shock and spring suspension and gas-charged front struts and rear shocks. Firm-feel 14:1 fast-ratio power-assisted rack-and-pinion

steering adds to your control.

Power-assisted ventilated front discs and larger rear drum brakes bring Shelby to a crisp, safe halt. Standard 15-inch cast aluminum wheels with Eagle GT radial tires add to adept handling, excellent traction.

If you need further proof of Shelby's credentials, check out the results of many of America's top professional races. You'll find the name Shelby

Charger up at the top of the list.



Shelby's distinctive body style contributes to overall efficiency. An aerodynamic front air dam, side sill spoilers and a functional rear spoiler allow Shelby Turbo to slice through the wind with a drag coefficient of only .37.

Inside Shelby Charger you'll find comfortable cloth with vinyl trim high-back bucket seats embroidered with the Carroll Shelby logo. Sophisticated ergonomic design created seats that accommodate you precisely. Instrumentation that is simple to read, easy to reach is always before you. The

Rallye instrument cluster keeps you informed on important engine functions.

\*Based on official 1985 NHRA figures (1986 figures are expected to be equal or better).

QUALITY-BUILT & BACKED  
BY AMERICA'S FIRST  
5/50 PROTECTION PLAN.  
See back cover for details.



# 1986 Charger

**Charger and Charger 2.2.** Both are still laps ahead of competition. These gutsy performers challenge the popular notion of what economical sport cars should be. Where others are small, Charger is roomy, with space

for up to five passengers. Where others are conservative and decidedly unstylish, Charger is sporty. And all Chargers have Clear Coat finish on every color for long-lasting beauty and resistance to chips and scratches.

Charger 2.2 takes sleek a step further. Its high-performance, race-proven 2.2-liter engine has Carroll

Shelby's imprint on the modified camshaft to provide a compression ratio of 9.6:1. Engine electronics are calibrated to produce 110 net horsepower at 5,600 rpm.

What's more, Charger and Charger 2.2 are surprisingly efficient. With

standard 2.2-liter high-performance engine and 5-speed manual trans-axle, Charger 2.2 delivers generous fun-to-drive mileage ratings of 22 EPA estimated city mpg, 30 estimated highway.

Charger 2.2, shown in Radiant Silver with black stripes. Charger, shown in Garnet Red Pearl Coat.

★  
**VALUE-PACKED  
TRANSMISSION DISCOUNT  
PACKAGES**

*Available on base Charger —  
with substantial savings.  
See page 14 for details.*



# 1986 Charger

## A performance sensation.

Chargers have created a road sensation ever since their introduction. Today, value-conscious drivers like you are still drawn by Charger's performance efficiency. Sporty car devotees get their kicks with Charger's sport styling and Charger 2.2's high-performance engine.

The base Charger is equipped with a 1.6-liter four-cylinder engine with standard four-speed manual overdrive

transaxle. This combination makes for an exceptional mileage rating of 31 EPA estimated city mpg, 39 estimated highway.

The optional 2.2-liter four-cylinder engine with five-speed manual overdrive transaxle gives excellent response to your every move.

Charger 2.2 has the performance look with a front air dam. Fender extensions. Side sill spoilers.

Bold graphics. Fourteen-inch Rallye road wheels and road-gripping steel-belted radial tires complete the sports car look and feel.

Charger and Charger 2.2 are loaded with standard features that contribute to ease of handling and cater to your comfort.

Power-assisted brakes, rack-and-pinion steering and road-hugging Iso-Strut independent front suspension ensure excellent handling.

Inside, your comfort and convenience take precedence. Contoured cloth with vinyl trim bucket seats with individually adjustable recliners are

designed for your exact comfort. A Rallye instrument cluster contains tachometer, oil pressure gauge and warning light, trip odometer and more. The electronically tuned AM radio (optional on Charger) with digital readout is complete with integral digital clock.

Charger's low-back Embassy cloth with vinyl trim reclining bucket seat interior, shown in Charcoal/Silver.

Charger, shown below in Charcoal Pearl Coat.

## VALUE-PACKED SUN/SOUND/SHADE DISCOUNT PACKAGE

Available on Shelby Charger  
and Charger 2.2 —  
with substantial savings.  
See page 14 for details.



# 1986 Charger

## Charger options.

### A. AIR CONDITIONING\*

Features a four-speed blower, four adjustable air outlets, upper level ventilation with maximum air conditioning for recirculating cool interior air.

### B. TONNEAU COVER

This rollback cover conceals your valuable cargo and provides a neat appearance.

### C. SUN/SOUND/SHADE DISCOUNT PACKAGE


(Not available on base Charger.) Included in the package are: Sun roof with vinyl storage bag and cargo tie-downs. Rear window louver. And electronically tuned AM stereo/FM stereo radio with integral digital clock (may be upgraded).<sup>†</sup>

### D. SUN ROOF

Sun and breezes are yours with a few twists and one easy pull. A protective vinyl storage pouch and cargo area tie-downs are included.

### E. REAR WINDOW DEFROSTER

This electric option keeps your rear window clear of snow, ice, and fog. Whatever the weather, you'll have a good view of what's behind you.



## STANDARD AND OPTIONAL EQUIPMENT

Shelby Charger	Charger 2.2		
	Charger		
Air Conditioning <sup>1</sup>	E	E	E
Air Dam and Front Fender Extensions	NA	S	S
Alternator—65-ampere	S	NA	NA
Alternator—78-ampere	P	S	S
Armrest—Center	P	E	S
Battery—335-ampere; maintenance-free	S	S	S
Brakes—Front disc, rear drum; power-assisted	S	S	NA
Brakes—Ventilated front disc, larger rear drum	NA	NA	S
Bumper—Front: with integral black bumper rub strip; Shelby: color-keyed	S	S	S
Carpet—Cargo compartment dress-up; carpet on quarter trim panels and wheelhousings	E	E	S
Carpet—Cargo compartment floor and lower deck panel; with sound insulation	S	S	S
Cigar Lighter	S	S	S
Clock—Electronic digital; integral with all radios	P	S	S
Console—Front storage and shift lever housing	P	S	S
Cooling—Engine <sup>1</sup> : higher capacity	E	NA	NA
Corrosion Protection—Lower bodyside urethane protective coating; extensive use of galvanized steel	S	S	S
Defroster—Rear window; electric	E	E	E
Engines—See Engine Chart			
Exhaust System—Performance type; all stainless steel on Shelby	NA	S	S
Front-Wheel Drive	S	S	S
Glass—Tinted: all windows	S	S	S
Headlights—Dual halogen quad (except Shelby)	S	S	S
Headliner—Cloth-covered	S	S	S
Heater and Defroster—With upper level ventilation	S	S	S
Hood Release—Inside	S	S	S
Instrumentation—Rallye cluster: engine coolant temperature gauge; fuel economy upshift light (with manual transaxle on base Charger only); fuel level gauge; oil pressure gauge and warning light; speedometer (85 mph, 140 km/h); tachometer; trip odometer; voltmeter	S	S	S
Instrument Panel—Padded	S	S	S
Insulation Pad—Hood	S	S	S
Light—Ash receiver	P	S	S
Light—Fuel economy upshift (with manual transaxle)	S	NA	NA

Shelby Charger	Charger 2.2		
	Charger		
Lights—Map/reading; swivel, visor mounted	P	P	S
Lock—Glove box	S	S	S
Mirror—Exterior, left remote	S	NA	NA
Mirror—Interior, day/night	S	S	S
Mirror—Interior, right side visor vanity	S	S	NA
Mirror—Interior, right side visor vanity; with map/reading light	P	P	S
Mirrors—Exterior, left and right remote	E	S	S
Molding—Bodyside, soft; black with silver stripe	S	NA	NA
Multifunction Steering Column Lever—Switches for directional signals, headlight dimmer, intermittent windshield wiper/washer, lane-change feature	S	S	S
Pedal—Heel-and-toe type accelerator	NA	NA	S
Radio—AM: electronically tuned	E	S	NA
Radio—AM stereo <sup>2</sup> /FM stereo: electronic tuning; four-speaker sound	E	E	S
Radio—AM stereo <sup>2</sup> /FM stereo, premium: electronic tuning; seek-and-scan; Dynamic Noise Reduction (DNR) <sup>3</sup> ; cassette player with automatic reverse; four-speaker sound	E	E	E
Radio—AM stereo <sup>2</sup> /FM stereo, 36-watt Ultimate Sound System: electronic tuning; memory scan; up-and-down scan; Dynamic Noise Reduction (DNR) <sup>3</sup> ; cassette player with automatic reverse and metal tape capability; five-band graphic equalizer; joystick balance/fader control; four-speaker sound; ambience sound control	E	E	E
Seat—Rear: fold-down	S	S	S
Seat Belts—Deluxe	S	S	S
Seats—See Interior Trim			
Speed Control—Automatic	E	E	NA
Spoiler—Rear deck	S	S	S
Spoilers—Side sills (rear quarter panel extension included on Shelby)	NA	S	S
Steering—Manual: rack-and-pinion	S	S	NA
Steering—Power-assisted; rack-and-pinion	E	E	S
Steering Wheel—Sport: four-spoke	S	S	S
Sun Roof—Glass: removable; with vinyl storage bag and cargo area tie-downs	E	E	E

Shelby Charger	Charger 2.2		
	Charger		
Suspension—Front: Iso-Struts and coil springs	S	S	S
Suspension—Rear: trailing arm, semi-independent with shock absorbers and coil springs	S	S	S
Suspension—Sport: with rear antisway bar; heavy-duty shocks and struts; increased spring rates front and rear	P	S	NA
Suspension—Sport special: includes all the components of sport suspension plus gas-charged front struts and rear shocks	NA	NA	S
Tape Stripes and Graphics—Charger 2.2	NA	S	NA
Tape Stripes and Graphics—Shelby Charger	NA	NA	S
Tire—Spare: conventional	E	E	NA
Tire—Spare: P165/75D13 limited service	S	S	NA
Tire—Spare: T115/70D14 compact high-pressure	NA	NA	S
Tires—P165/80R13 steel-belted radial black sidewall (set of four)	S	NA	NA
Tires—P165/80R13 steel-belted radial white sidewall (set of four)	E	NA	NA
Tires—P195/60R14 steel-belted radial black sidewall with raised black letters (set of four)	NA	S	NA
Tires—P195/60R14 steel-belted radial black sidewall with raised white letters (set of four)	E	E	NA
Tires—P205/50VR15 steel-belted radial unidirectional with raised black letters (set of four)	NA	NA	S
Tonneau Cover—Cargo area	E	E	E
Transaxles—See Engine Chart			
Two-Tone Paint	E	NA	S
Wheel Covers—Deluxe: 13-inch	S	NA	NA
Wheels—Rallye: 14-inch (set of four)	NA	S	NA
Wheels—Road: cast aluminum 14-inch (set of four)	E	E	NA
Wheels—Road: cast aluminum 15-inch (set of four)	NA	NA	S
Windshield Wipers/Washers—Deluxe, with intermittent wipers; two-speed electric	S	S	S

S—Standard. E—Extra cost. P—Package. NA—Not available.

<sup>1</sup>There are special engine cooling requirements for field-installed air conditioning. Failure to meet these requirements may invalidate warranty. Not available with 1.6-liter engine. See your dealer for details.

<sup>2</sup>Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.

<sup>3</sup>DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.

## EXTERIOR COLORS

TWO-TONE COLORS  
(Available on base Charger only)



## SHELBY CHARGER TWO-TONES



## MONOTONE COLORS\*



## INTERIOR TRIM

**Standard on Shelby Charger.**  
Cloth with vinyl trim high-back full contour premium bucket seats with integral head restraints, reclining seatbacks, and increased lateral support. Available in Blue/Silver, Charcoal/Silver.

**Optional on Charger 2.2 and Charger.**  
Cloth with vinyl trim high-back bucket seats with integral head restraints, reclining seatbacks, and increased lateral support. Available in Charcoal/Silver, Red, Tan.

**Optional on Charger 2.2 and Charger.**  
All-vinyl low-back bucket seats with adjustable head restraints and reclining seatbacks. Available in Charcoal/Silver, Red, Tan.

**Standard on Charger 2.2 and Charger.**  
Cloth with vinyl trim low-back bucket seats with adjustable head restraints and reclining seatbacks. Available in Charcoal/Silver, Blue, Red, Tan.

*\*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.*

*<sup>1</sup>Standard on Shelby Charger. AM stereo/FM stereo radio with cassette player is included in this package for Shelby Charger.*

*<sup>2</sup>Available in package only.*

## AUTOMATIC TRANSMISSION DISCOUNT PACKAGE

(Available on base model Charger only)

- Automatic three-speed transaxle
- Electronically tuned AM stereo\*/FM stereo radio with integral digital clock (may be upgraded)
- Freestanding front center armrest<sup>1</sup>
- Front storage console with shift lever housing<sup>1</sup>
- Base 2.2-liter engine
- Power-assisted steering (18:1 ratio)
- Remote control dual exterior aero style mirrors: black
- Thirteen-inch Rallye road wheels (set of four; may be upgraded)<sup>1</sup>

*\*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.*

*<sup>1</sup>Available in package only.*

## STANDARD SAFETY FEATURES

- Anti-theft trunk lock
- Backup lights
- Brake fluid pressure loss warning light (also serves as indicator when parking brake is applied)
- Combination lap/shoulder belts for the driver and right front passenger; lap belts for all other passengers
- Double ball-joint rearview mirror mount
- Dual braking system with separate brake fluid reservoirs in the master cylinder
- Dual throttle return springs
- Electric windshield washers and wipers
- Electronic ignition
- Energy-absorbing front seatbacks
- Energy-absorbing steering wheel
- Energy-absorbing sun visors
- Fade-resistant front disc brakes
- Front seat head restraints
- Glare reduction measures for windshield wipers, instrument panel and steering wheel
- Hazard warning flasher system
- Headlight and wiper circuit breakers with automatic reset
- Ignition and steering column lock
- Impact activated fuel supply shutdown relay
- Inside and outside rearview mirrors
- Interlocking door latches
- Key left in ignition warning
- Nonoverride door locks (except driver's door)
- Recessed inside door release handles
- Reinforced windshield header and roof
- Resilient window crank knobs
- Rotary glove box latch
- Safety-Rim wheels
- Seat belt reminder system
- Seatback latches on folding front seats
- Side door beams
- Side marker lights and reflectors
- Supplemental high-mounted center stoplight
- Turn signals with lane-change feature

## DODGE CHARGER PACKAGES AND ACCESSORY GROUPS

Certain models, packages and options are subject to specific restrictions, requirements or late availability. Consult your dealer for current ordering information.

## TWO-TONE PAINT PACKAGE

(Available on base Charger only)

- Two color combinations

## LIGHT PACKAGE

- Ash receiver light (standard on Charger 2.2 and Shelby Charger)
- Glove box light\*
- Headlights-on warning buzzer\*
- Ignition switch light with time delay\*
- Luggage compartment light\*
- Map/reading light, visor-mounted; swivel feature (standard on Shelby Charger)\*

*\*Available in package only.*

## MANUAL TRANSMISSION DISCOUNT PACKAGE

(Available base Charger only)

- Base 2.2-liter engine
- Close-ratio five-speed manual overdrive transaxle
- Electronically tuned AM stereo\*/FM stereo radio with integral digital clock (may be upgraded)
- Freestanding front center armrest<sup>1</sup>
- Front storage console with shift lever housing<sup>1</sup>
- Remote control dual exterior aero style mirrors, black
- Thirteen-inch Rallye road wheels (set of four; may be upgraded)<sup>1</sup>

*\*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.*

*<sup>1</sup>Available in package only.*

## PROTECTION PACKAGE

- Front and rear carpeted floor mats\*
- Undercoating\*

*\*Available in package only.*

## SUN/SOUND/SHADE DISCOUNT PACKAGE

(Not available on base Charger)

- Electronically tuned AM stereo\*/FM stereo radio with integral digital clock (may be upgraded)<sup>1</sup>
- Rear window louver: black\*
- Sun roof, with vinyl storage bag and cargo area tie-downs

## DIMENSIONS, WEIGHT AND CAPACITY

	Charger	Charger 2.2	Shelby Charger
Length	174.8"	174.8"	174.7"
Width	66.1"	66.1"	66.1"
Height	50.7"	50.7"	50.2"
Wheelbase	96.5"	96.5"	96.5"
Turning Diameter	36.4' left 38.2' right	36.4' left 38.2' right	38.9' left 40.9' right
Curb Weight	2,215 lbs	2,366 lbs	2,382 lbs
Cargo Capacity —with rear seatback up <sup>1</sup> —with rear seatback down	10.7" 32.4"	10.7" 32.4"	10.7" 34.3"
Passenger Capacity	5	5	5
Fuel Capacity	13 gal	13 gal	13 gal

<sup>1</sup>With tonneau cover; estimated.

## CHARGER ENGINES AND TRANSAXLES<sup>1</sup>

Type	Displacement	Bore & Stroke	Compression Ratio	Horsepower		Torque	Transaxle Availability
				SAE Net @ RPM	SAE Net @ RPM		
4-cylinder OHC; standard on Charger; NA on others	1.6-liter <sup>2</sup> (97.1 CID)	3.17" x 3.07"	8.8:1	64 hp @ 4,800	87 lb-ft @ 2,800		4-speed manual <sup>3</sup> (2.69 OTGR); Std base Charger; NA others
4-cylinder OHC high performance; standard on Charger 2.2; NA on others	2.2-liter <sup>3,4</sup> (135 CID)	3.44" x 3.62"	9.6:1	110 hp @ 5,600	129 lb-ft @ 3,600		Close-ratio 5-speed manual (2.78 OTGR); Std base Charger 2.2; NA others
4-cylinder OHC turbo multipoint EFI; standard on Shelby Charger; NA on others	2.2-liter (135 CID) <sup>3,5,6</sup>	3.44" x 3.62"	8.1:1	146 hp @ 5,200	168 lb-ft @ 3,600		Close-ratio 5-speed manual (2.57 OTGR); Std Shelby Charger; NA others
4-cylinder OHC; optional on Charger and Charger 2.2 with automatic transaxle only; NA Shelby Charger	2.2-liter <sup>4,7</sup> (135 CID)	3.44" x 3.62"	9.0:1	96 hp @ 5,200	119 lb-ft @ 3,200		Close-ratio 5-speed manual (2.20 OTGR); Opt base Charger; NA others 3-speed automatic (3.02 OTGR) <sup>8</sup> ; Opt Charger, Charger 2.2; NA Shelby Charger

OTGR—Overall top gear ratio. NA—Not available.

<sup>1</sup>California emissions controls and testing required on all vehicles in California; not available otherwise.

<sup>2</sup>Built by Peugeot; not offered for high altitude.

<sup>3</sup>Premium unleaded fuel is recommended.

<sup>4</sup>Base 2.2-liter engine substituted for high-performance 2.2 when optional automatic transaxle is ordered.


<sup>5</sup>Includes 78-amp alternator, equal-length drive shafts, engine dress-up, heavy-duty radiator, and stainless steel exhaust system with bright exhaust tip.

<sup>6</sup>Turbocharged engine not recommended for trailer towing.

<sup>7</sup>760-amp alternator used on base 2.2-liter engine.

<sup>8</sup>Includes shift indicator light.

<sup>9</sup>2.78 overall top gear ratio standard on base Charger; 3.02 overall top gear ratio optional. Recommended for high altitude or hilly terrain.



MOPAR parts are engineered by Chrysler Corporation for use in your new Dodge Charger. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Chrysler Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information.

#### F. FRONT STORAGE CONSOLE

This versatile console houses Charger's shift lever and provides ample storage for cassette tapes, maps and sunglasses. Holders for cups are also included. (Console standard on Charger 2.2 and Shelby Charger; available on base Charger with Automatic Transmission Discount Package or Manual Transmission Discount Package only.)



F

#### G. ULTIMATE SOUND SYSTEM

This powerful 36-watt performance system includes an AM stereo<sup>1</sup>/FM stereo radio. Electronic digital tuning. Memory scan, up-and-down scan. Dynamic Noise Reduction (DNR)<sup>2</sup>. Cassette player with automatic reverse and metal tape capability. Five-band graphic equalizer. Joystick balance/fader control. Six speakers. Ambience sound control. And integral digital clock.

#### H. FOURTEEN-INCH CAST ALUMINUM ROAD WHEELS

These sporty aluminum wheels are the



G



H

ideal finishing touch to Charger's sleek exterior. (Not available on Shelby Charger.)

<sup>1</sup>There are specific engine cooling requirements for A/C. Not available on some AM stereo broadcast stations. Not compatible with this radio's broadcast frequencies.

<sup>2</sup>Limited AM stereo reception may be experienced in some areas. Double check AM stereo broadcast frequencies.

<sup>3</sup>Standard on Shelby Charger. AM stereo/FM stereo radio with cassette player is included in package for Shelby Charger.

<sup>4</sup>DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.

*For more than sixty years Dodge cars and trucks have been an integral part of the automotive industry. During this time Dodge has maintained a tradition of design and engineering achievements that have been nothing short of historic. Along with this rich heritage, Dodge has revolutionized its products over the last three years in virtually every aspect of design, engineering, performance, manufacturing, servicing, and warranty protection.*

*Enormous resources, human and financial, have been channeled into breakthrough accomplishments. This commitment has often required shattering old ideas, establishing new standards, and daring to be different. Our aim has been one of constantly striving to be the best.*

*Dodge's total dedication to quality products and the confidence to stand behind them with an unprecedented five-year/50,000-mile limited warranty are the purest examples of our vision fulfilled. But our commitment to be the best can only be as successful as its final effect on you, the consumer. You must be completely satisfied with our products, our attitude, our services.*

*This is our ultimate goal.*

#### **5/50 PROTECTION PLAN**

Warranty protection is a matter of confidence. And Chrysler Corporation is so sure of the care and precision that go into each Dodge Charger that they offer the Five-Year/50,000-Mile Protection Plan. It speaks for itself. Upon expiration of the normal 12-month/12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components, including engine, transmission, axle, and turbocharger - plus outer panel rust-through protection - to five years/50,000 miles, whichever comes first. A deductible may be required. Fleet, lease and export vehicles excluded. See your dealer for details.

#### **OPTIONAL 5/50 SERVICE CONTRACT COVERAGE**

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Coverage starts on the specified components after your vehicle's basic warranty expires and continues for five years or 50,000 miles (whichever occurs first) from the original warranty start date. A deductible applies. Allowances for car rental and towing are also included. Ask your dealer for details.



**BUCKLE UP FOR SAFETY**